



STOUT
BUILDING CONTRACTORS
80 NORTH 1400 WEST
CENTERVILLE, UTAH 84014
P. 801.296.2150
F. 801.294.5085


NEW RETAIL STORE
DOLLAR GENERAL
7. NAVAJO DR. E. FLORENTINE RD.
PRESCOTT VALLEY, ARIZONA



THIS SIGN IS TO BE PROVIDED AND INSTALLED AT THE BEGINNING OF CONSTRUCTION PROJECT.
1 COMING SOON SIGN DETAIL
A8.1 SCALE: NO SCALE



2 PYLON SIGN DETAILS
A8.1 SCALE: NO SCALE



3 STORE SIGN DETAILS
A8.1 SCALE: NO SCALE

STANDARD SIGN SPECIFICATIONS

BOX SIGNS			
SIZE	AMPS / WATTS	WEIGHT	
3'-0" x 23'	2.5 AMPS / 292 WATTS	485 LBS.	
PYLON SIGNS			
SIZE	AMPS / WATTS	WEIGHT	
6' x 16'	5.0 AMPS / 584 WATTS	750 LBS.	

- SIGN SPECIFICATIONS**
- BUILDING SIGNS: PROVIDE CONDUIT FROM ELECTRICAL PANEL TO SIGN. PROVIDE SIGN BASE BARRY CONDUIT LADDER. THE SIGN SET OFF FROM SIGN WITH 6" AND 12" SET BACKS AT THE PANEL. BUILDING CANOPY MUST BE SUFFICIENTLY BUILT TO SUPPORT THE DOLLAR GENERAL SIGN (UP TO 4000 LBS. NOTE: IF SET FOR LADDER: 2 1/4" x 10 1/2" W/ 6000 AND 2 1/4" x 10 1/2" W/ 4000 LBS. REQUIRED)
 - PYLON SIGNS: PROVIDE CONDUIT FROM ELECTRICAL PANEL TO LOCATION OF THE PYLON SIGN BASE. BARRY CONDUIT LADDER. PROVIDE SIGN SET OFF FROM SIGN WITH 6" AND 12" SET BACKS AT THE PANEL. BUILDING CANOPY MUST BE SUFFICIENTLY BUILT TO SUPPORT THE DOLLAR GENERAL SIGN (UP TO 4000 LBS. NOTE: IF SET FOR LADDER: 2 1/4" x 10 1/2" W/ 6000 AND 2 1/4" x 10 1/2" W/ 4000 LBS. REQUIRED)
 - PANEL ELECTRICAL CONNECTIONS FOR SIGNS SHALL BE THE OWNERS RESPONSIBILITY AFTER SIGNS ARE INSTALLED.
 - TRUSS AND PHOTOCELL COMBINATIONS ARE USED FOR ALL ENTRY SIGNS.
 - SEE CHART ABOVE FOR SIGN SPECS.
 - SEE SHEET S1.A FOR MOUNTING SUPPORT DETAILS

SIGN DETAILS

SCALE: NO SCALE

NOVEMBER 1, 2009
P\VALLEY.DG.DWG

A8.1