

2012 List Price Worksheet - NJPA Pricing

2100 PLUS PD

EFFECTIVE 01-01-2012

ALL INFORMATION MUST BE FILLED IN OR ORDER WILL NOT BE ACCEPTED

AD FORM MUST ALSO BE INCLUDED - CLICK ON RED "AD FORM" TAB

*Vector requires that PLUS Chassis Specifications Must Meet Vector Requirements.
All Chassis Specs Must Be Approved by Vector.*

PURCHASE ORDER SUMMARY

ENTER DATA IN YELLOW CELLS

Date	
Dealer PO#	
Model	
Requested Delivery Date	

> > > M.S.O. INFORMATION < < < <

Assign To	
Address	
City	
State	
Zip	
FedEx To	
Address	
City	
State	
Zip	
Attention	Financed by Dealer:
	Yes
	No

ALL NON-EXEMPT CUSTOMERS MUST PAY F.E.T.

ANY VEHICLE UNDER 33,000 LB GVWR IS NOT SUBJECT TO F.E.T.

Dealer	NORWOOD EQUIPMENT		
Address	2422 S 19TH AVE		
City/State/Zip	PHOENIX, ARIZONA 85009		
Terms:			
Customer	TOWN OF PRESCOTT VALLEY		
Address	7501 E CIVIC CIRCLE		
City	PRESCOTT VALEY		
State	ARIZONA		
Zip	86314	Delivery Instructions:	
Contact	GARY McCONNELL	You Must Choose One	
Phone	928-759-3086		Vector Delivery
Fax	928-583-6886		Customer Pick-Up

ENTER DATA IN YELLOW CELLS ONLY

MODEL	PLUS PD COMBINATION SEWER CLEANERS	QTY	LIST	EXT LIST
16" HG BLOWER MACHINES		1	LIST	EXT LIST
2112P-16	PD Blower, 12 Yard Debris Body Capacity 1000 Gallon Water Capacity As Standard/6X4 Chassis Only	1	\$ 192,501	\$ 192,501
TOTAL MODULE		1		\$ 192,501
STANDARDS INCLUDED:		1	LIST	EXT LIST
010PSTD	One Aluminum Toolbox (Weather Proof Lockable) 48x22X24 Located Passenger Side on Subframe. (46849MW) Std on 6x4 and 4x2 Models	1		STD
011PSTD	Aluminum Fenders	1		STD
012PSTD	Mud Flaps	1		STD

2012 List Price Worksheet - NJPA Pricing

2100 PLUS PD

EFFECTIVE 01-01-2012

ALL INFORMATION MUST BE FILLED IN OR ORDER WILL NOT BE ACCEPTED

AD FORM MUST ALSO BE INCLUDED - CLICK ON RED "AD FORM" TAB

***Vector requires that PLUS Chassis Specifications Must Meet Vector Requirements.
All Chassis Specs Must Be Approved by Vector.***

PURCHASE ORDER SUMMARY

014PSTD	Electric/Hydraulic Four Way Boom	1		STD
016PSTD	Color Coded Sealed Electrical System	1		STD
018PSTD	Remote Pendant Control With 35' Cord	1		STD
019PSTD	Vansco-Electronic Package: Vector Includes As Standard-Chassis Tach, Blower Tach, Operating Mode, PTO Mode, Hydraulic Oil Temp Shutdown, (E-STOP-Turns Off Rodder Pump, Turns Off PTO A And PTO B, Shuts Off Aux Engine (if equipped), Sets Chassis Throttle Back To Idle. Disables Vacuum Opens Vacuum Disable). E-Stop Located @ Front Reel Controls, Rear Reel Controls, Pendant, Wireless Control (if equipped) and At Dump Control Location Machine Functions and Diagnostics (Chassis and Module)	1		STD
020PSTD	Double Acting Dump Hoist Cylinder	1		STD
022PSTD	2" Y-Strainer With 25' Fill Hose	1		STD
025PSTD	Handgun Assy w/35' x 1/2" Hose With Quick Disconnects	1		STD
026PSTD	Ex-Ten Steel Cylindrical Debris Tank	1		STD
030PSTD	Flexible Hose Guide	1		STD
032PSTD	(3) Nozzles with Carbide Inserts with Nozzle Rack (1) 30° Sand, (1) 30° Sanitary, (1) 15° Penetrator	1		STD
045PSTD	Suction Tube Storage: Curbside 2 Pipe, Rear Door 2 Pipe	1		STD
046PSTD	1" Nozzle Pipe	1		STD
1001PSTD	Flat Rear Door w/Hydraulic Locks and Door Power Up, Power Down, Open/Close Feature (NO GRABBER)	1		STD
1005PSTD	Dual 10" Stainless Steel Float Shut Off System/Rear Mounted In The Body	1		STD
1016PSTD	SS Microstrainer Prior to Blower	1		STD
1024PSTD	Debris Body Vacuum Relief System	1		STD
1031PSTD	Debris Deflector Plate	1		STD
1032PSTD	48" Dump Height (w/1000 Gallon Capacity)	1		STD
1033PSTD	60" Dump Height (w/1300 & 1500 Gallon Capacities)	1		STD
2022PSTD	Water Sight Gauge D/S & P/S	1		STD
2023PSTD	Liquid Float Level Indicator	1		STD
3008PSTD	Blower Air Shift Controls	1		STD
4000PSTD	180 Degree Rotation Non Telescopic Boom, Front Loading 8" Suction Hose	1		STD
4005PSTD	Boom Transport Cradle	1		STD
5001PSTD	60 GPM Variable Flow Water System	1		STD
5011PSTD	3" Y-Strainer @ Water Pump w/3" Drain Valve	1		STD
5012PSTD	Performance Package: (Hyd Variable Flow, Dual PTO's, Dual Hyd Pumps)	1		STD
5014PSTD	Water Relief Valve, 1"	1		STD
5015PSTD	Midship Handgun Coupling	1		STD

2012 List Price Worksheet - NJPA Pricing

2100 PLUS PD

EFFECTIVE 01-01-2012

ALL INFORMATION MUST BE FILLED IN OR ORDER WILL NOT BE ACCEPTED

AD FORM MUST ALSO BE INCLUDED - CLICK ON RED "AD FORM" TAB

**Vector requires that PLUS Chassis Specifications Must Meet Vector Requirements.
All Chassis Specs Must Be Approved by Vector.**

PURCHASE ORDER SUMMARY

5019PSTD	AUXILIARY COOLING PACKAGE FOR CHASSIS ENGINE - System provides additional cooling for the chassis engine, by routing the chassis coolant through a heat exchanger. AVAILABLE ON IH MAXXFORCE ENGINES ONLY	1			STD
5022PSTD	Side Mounted Water Pump	1			STD
6000PSTD	400'x 1" Piranha Sewer Hose 2500 PSI	1			STD
6004PSTD	Hose Wind Guide (Dual Roller)	1			STD
6005PSTD	Hose Footage Counter Located Front Side Of Hose Reel-Mechanical	1			STD
6007PSTD	Hose Reel Manual Hyd Extend/Retract	1			STD
6009PSTD	Hose Reel Chain Cover (Full)	1			STD
6020PBSTD	15" Hydraulic Telescoping & 270° Rotating Hose Reel (800'x 1" Piranha or Aeroquip Capacity) w/ Dual Controls	1			STD
7001PSTD	Tachometer - Chassis Engine w/Hourmeter	1			STD
7003PSTD	HOURMETER FOR WATER PUMP OPERATION	1			STD
7004PSTD	HOURMETER FOR PTO OPERATION	1			STD
7007PSTD	Tachometer & Hourmeter - Blower	1			STD
8000PSTD	Circuit Breakers	1			STD
8025PSTD	Led Lights, Clearance, Back Up, Stop,Tail & Turn	1			STD
9000PSTD	1+1 Vector Manual-Partial Manual and CD Version	1			STD
9002PSTD	Tow Hooks, Front And Rear	1			STD
9003PSTD	Electronic Back-Up Alarm	1			STD
P110STD	Module Paint Wet-On-Wet (DuPont)	1			STD
S390ASTD	8" Vacuum Pipe Package	1			STD
S560STD	Emergency Flare Kit	1			STD
S590STD	Fire Extinguisher 5 Lbs.	1			STD
	DEBRIS TANK ACCESSORIES	1	LIST	EXT LIST	
1003P	DEBRIS BODY FLUSH OUT SYSTEM	1	\$ 1,387	\$ 1,387	
1008PF	6" KNIFE VALVE/REAR DOOR WITH CAMLOC LOCATED 6:00 POSITION, AIR ACTUATED	1	\$ 1,955	\$ 1,955	
1009PD	FULL WIDTH SWINGING PERFORATED DECANT SCREEN (A SCREEN DESIGNED TO COVER VALVES LOCATED AT 6:00 AND 3:00 POSITIONS ON REAR DOOR, AVAILABLE ON SINGLE VALVES ALSO)	1	\$ 727	\$ 727	
1014P	CENTRIFUGAL SEPARATOR REAR MOUNTED (PLUS STYLE)	1	\$ 4,851	\$ 4,851	
1015P	FOLDING PIPE RACK/CURBSIDE	1	\$ 962	\$ 962	
1015PA	FOLDING PIPE RACK/STREET SIDE	1	\$ 962	\$ 962	
1022P	SPLASH SHIELD - BOLTED TO BODY FLANGE REAR DOOR	1	\$ 1,413	\$ 1,413	
1023P	LUBE MANIFOLD (INCLUDES OPTIONS 1023PA)	1	\$ 2,097	\$ 2,097	
1023PA	LAMINATED LUBE CHART	1	\$ 57	\$ 57	
	WATER TANK ACCESSORIES	1	LIST	EXT LIST	
2001P	LOW WATER LIGHT AND ALARM AND WATER PUMP FLOW INDICATOR-GPM	1	\$ 597	\$ 597	

2012 List Price Worksheet - NJPA Pricing

2100 PLUS PD

EFFECTIVE 01-01-2012

ALL INFORMATION MUST BE FILLED IN OR ORDER WILL NOT BE ACCEPTED

AD FORM MUST ALSO BE INCLUDED - CLICK ON RED "AD FORM" TAB

Vector requires that PLUS Chassis Specifications Must Meet Vector Requirements.

All Chassis Specs Must Be Approved by Vector.

PURCHASE ORDER SUMMARY

2018P	1500 GALLON WATER CAPACITY - ADDITIONAL ON 10 & 12 YD UNITS 6X4 CHASSIS REQUIRED, WILL HAVE 60" DUMP HEIGHT (DEPENDING ON CHASSIS FRAME HEIGHT)	1	\$ 3,761	\$ 3,761
	BOOM ACCESSORIES	1	LIST	EXT LIST
4004P	8 FT. HYDRAULIC TELESCOPIC BOOM WITH 180 DEGREE ROTATION	1	\$ 12,939	\$ 12,939
4006P	JOYSTICK CONTROL FOR BOOM FUNCTION (1) - FRONT	1	\$ 732	\$ 732
4010P	POST TYPE FRONT BUMPER BOOM STORAGE ILO STD (STANDARD WITH 5X5 BOOM OPTION)	1	\$ 497	\$ 497
4011PB	T300 OMNEX REMOTE CONTROL BELLY PACK - WIRED OR WIRELESS CAPABILITY. THIS SYSTEM WILL ACTIVATE ALL BOOM FUNCTIONS: UP, DOWN, LEFT, RIGHT, (IN & OUT IF SO EQUIPPED) VACUUM RELIEF ON/OFF, RODDER PUMP ON/OFF, THROTTLE UP/DOWN, E-STOP, HOSE REEL PAY IN/PAY OUT, HOSE REEL SPEED CONTROL, WATER PRESSURE CONTROL (IF REMOTE IS REQUIRED, YOU MUST SELECT THIS OPTION FOR A 5X5 BOOM)	1	\$ 2,857	\$ 2,857
4013P	ROTATABLE INLET HOSE ASSEMBLY, TELE/EXTENDABLE	1	\$ 534	\$ 534
	HIGH PRESSURE WATER PUMP	1	LIST	EXT LIST
5002PA	80 GPM/2500 PSI WATER SYSTEM - ILO STD WATER SYSTEM	1	N/C	N/C
5010P	ACCUMULATOR SYSTEM FOR JET RODDER WATER SYSTEM	1	\$ 2,553	\$ 2,553
6003PC - 48783VS8	800' X 1" PIRANHA SEWER HOSE/2500 PSI (IN LIEU OF STD)	1	\$ 1,640	\$ 1,640
6004PB	INDEXING AUTOMATIC HOSE LEVEL WIND GUIDE	1	\$ 4,813	\$ 4,813
6005PD	DIGITAL HOSE COUNTER/ENGLISH OR METRIC (STD FRONT MECHANICAL HOSE FOOTAGE COUNTER WILL MOVE TO REAR)	1	\$ 1,590	\$ 1,590
6006P	HOSE GUARD/RODDER HOSE	1	\$ 1,067	\$ 1,067
6011P	HANDGUN HOSE REEL - SPRING RETRACTABLE REEL WITH 50' HOSE ASSEMBLY	1	\$ 1,194	\$ 1,194
6017P	HYDRAULIC SHUT-OFF VALVES AT SUCTION, RETURN AND FILTER LINE (3)	1	\$ 875	\$ 875
6019P	RODDER PUMP DRAIN VALVES (2)	1	\$ 460	\$ 460
	LIGHT ACCESSORIES	1	LIST	EXT LIST
8001PE	LED SPLIT ARROW TRAFFIC CONTROLLER TWO PIECE 10 LED LIGHTS - REAR ONLY	1	\$ 1,485	\$ 1,485
8002P	HAND LIGHT WITH BUMPER PLUG	1	\$ 345	\$ 345
8003P	HAND LIGHT WITH RETRACTABLE REEL	1	\$ 518	\$ 518
8007PB	STROBE LED AMBER LIGHT - FED SIG FRONT CAB GUARD MOUNTED	1	\$ 1,010	\$ 1,010
8007PC	STROBE LED AMBER LIGHT - FED SIG REAR MOUNTED ONLY	1	\$ 1,010	\$ 1,010
8028P	LED WORK LIGHTS (2) ON ALL BOOMS	1	\$ 722	\$ 722
8029P	LED WORK LIGHTS (2) ON REAR DOOR	1	\$ 573	\$ 573
8029PA	LED WORK LIGHT AT OPERATOR STATION (EACH)	1	\$ 607	\$ 607

2012 List Price Worksheet - NJPA Pricing

2100 PLUS PD

EFFECTIVE 01-01-2012

ALL INFORMATION MUST BE FILLED IN OR ORDER WILL NOT BE ACCEPTED

AD FORM MUST ALSO BE INCLUDED - CLICK ON RED "AD FORM" TAB

*Vector requires that PLUS Chassis Specifications Must Meet Vector Requirements.
All Chassis Specs Must Be Approved by Vector.*

PURCHASE ORDER SUMMARY

8029PB	LED WORK LIGHT @ HOSE REEL MANHOLE (EACH)	1	\$ 607	\$ 607
9019P	DELIVERY TO DEALER (INSERT LIST PRICE)	1	\$ -	\$ -
9021PB	CAMERA SYSTEM, FRONT, REAR AND BOTH SIDES	1	\$ 2,710	\$ 2,710
9023PA	SAFETY CONE STORAGE RACK/POST TYPE	1	\$ 150	\$ 150
9024P	WATER COOLER STORAGE RACK	1	\$ 150	\$ 150
	ALUMINUM TOOLBOXES AND TOOLTRAYS	1	LIST	EXT LIST
Series 9070P	MOUNTED FRONT BUMPER & LONG HANDLE TOOL STORAGE Aluminum Toolboxes	1		
9070PB	LONG HANDLE TOOL STORAGE - (6) 2.5" PVC STORAGE TUBES LOCATED REAR SUBFRAME AND ON BOOM REST	1	\$ 324	\$ 324
Series 9071P	BEHIND CAB TOOLBOXES AND TOOL TRAYS CONTACT THE SALES DEPARTMENT FOR CORRECT CHASSIS LENGTH FOR THESE TOOLBOX AND TRAY SELECTIONS	1		
9071PF	46849CM/14W x 36H x 96L TOOLBOX PD or FAN 6X4 CHASSIS ONLY 1000, 1300, 1500 GALLON CAPACITIES Appropriate Cab To Axle Is Required For Dual Access	1	\$ 2,966	\$ 2,966
	PAINT	1	LIST	EXT LIST
YES	MATCH CAB - YES OR NO	1		
P110STD	MODULE - DUPONT (WET-ON-WET)	1	STD	STD
	SPARE PARTS/ACCESSORIES	1	LIST	EXT LIST
S200 - 31096C	Additional 1" Leader Hose - 15ft (Not Shark)	1	\$268.28	\$ 268
S250 - 43516	Root Cutter Kit (Does Not Include Saws)	1	\$3,662.76	\$ 3,663
S270 - 43518	8" Spiral Saw Blade	1	\$288.38	\$ 288
S380 - 25637	8" x 5' Aluminum Pipe Assy	2	\$219.28	\$ 439
S390 - 25637F	8" x 7.5' Aluminum Pipe Assy	1	\$305.82	\$ 306
S410 - 16584	8" Quick Clamp Assy	3	\$27.58	\$ 83
S470 - 29898G	Additional 6" Lay Flat Drain Hose - 25ft	1	\$176.04	\$ 176
89957A	Higbee C/B Nozzle Assy 8" x 36"	1	\$703.46	\$ 703
	TOTAL OPTIONS LIST	1		\$ 69,623
	PRICING SUMMARY	1		EXT LIST
	BASE MODULE	1		\$ 192,501
	OPTIONS	1		\$ 69,623
	MODULE, OPTIONS, SPARE PARTS	1	ENTER LIST DISCOUNT	\$ 262,124
	DISCOUNT/ENTER DOLLAR AMOUNT	1	\$ -	\$ 262,124
	CONSULT FACTORY FOR STOCK CHASSIS	1	ENTER LIST CHASSIS PRICE	EXT LIST
ITEM #	PSKT370A-2013	1	\$ -	\$ 125,381
MAKE	KENWORTH	1		
MODEL	T440	1		EXT LIST
	LIST PRICE OF MODULE, OPTIONS AND CHASSIS LESS DISCOUNT	1		\$ 387,505
				EXT LIST

2012 List Price Worksheet - NJPA Pricing

2100 PLUS PD

EFFECTIVE 01-01-2012

ALL INFORMATION MUST BE FILLED IN OR ORDER WILL NOT BE ACCEPTED

AD FORM MUST ALSO BE INCLUDED - CLICK ON RED "AD FORM" TAB

Vactor requires that PLUS Chassis Specifications Must Meet Vactor Requirements.

All Chassis Specs Must Be Approved by Vactor.

PURCHASE ORDER SUMMARY

			387,505.04
	ADD REINFORCED ELBOW ON BOOM TUBE		1,050.00
	WART HOG NOZZLE / VACTOR SPINNER P/N 89079A		2,185.00
	43414 ALUM FLANGES (10) (8-1/8" OD)		297.00
	DEALER PREP		400.00
	FREIGHT		4,300.00
	EXT LIST TOTAL		395,737.04
		(DISCOUNT)	-65,248.83
	SUB TOTAL		330,488.21

FET TAX 12%	NOT INCLUDED
ST SALES TAX 9.3%	30,735.40
TOTAL SALE PRICE	\$361,223.61